

13 February 2003

Coverage: Great Britain
Theme: Social and Welfare

INDUSTRIAL INJURIES DISABLEMENT BENEFIT STATISTICS – Quarter ending September 2002


The Industrial Injuries Disablement Benefit (IIDB) Statistics, quarter ending September 2002, are published today via this First Release.

This report provides information on new claims and first diagnosed assessments of prescribed diseases in Great Britain and overseas in quarter 3, of 2002. For new claims, analyses include breakdowns by accident and prescribed diseases, Government Office Region (GOR) and population, and age. For first diagnoses of prescribed diseases, analyses include gender, age, percentage disablement and occupation.

Main findings:

- New claims have been fairly steady at around 15 to 18 thousand per quarter over the last two years, although there was an upward surge to 22 thousand in quarter 3, 2000. This surge was caused by an increase in claims to Vibration White Finger (A11) from mining groups and the result of compensation claims to the Department of Trade and Industry (DTI).
- The main characteristics have been steady for the last two years:
 - About 35% of claims are for accidents and the remainder for prescribed diseases.
 - Overall, it is estimated that about 39% of claims are successful.
 - Most prescribed disease assessments are made for people associated with the mining and manufacturing industries.
 - Most assessments are for men outside the southern regions of England, reflecting Britain's industrial heritage and past employment patterns.
- There were 16,400 new claims to IIDB in quarter 3, 2002. This was 11% higher than in the same quarter in 2001; most of the increase was due to more claims for Pneumoconiosis (D1) and for accidents.


New claims to IIDB:



Source: 10% sample of IIDB claims in Great Britain and overseas. (Quarter 3, 2000 to Quarter 1, 2002. Quarter 2, 2002 and Quarter 3, 2002 based on 100% data).

- The number of newly diagnosed prescribed diseases in quarter 3, 2002 has risen from the previous year. The most common prescribed diseases assessed in quarter 3, 2002 were Vibration White Finger and Pneumoconiosis representing 28% and 20% of all assessments respectively.

All prescribed diseases, first diagnosed assessments:



Source: 100% count of IIDB newly diagnosed prescribed diseases in Great Britain and overseas

DWP Department for Work and Pensions

Issued by:

Information Centre
Information and Analysis
Directorate
Department for Work and Pensions

Telephone :

Press Office : 020 7238 0866
Public Enquiries : 020 7712 2171

DWP website :

www.dwp.gov.uk/asd

Statistician:

Martin McGill
Information Centre
Information and Analysis
Directorate
Department for Work and Pensions
Room BP5201
Benton Park View
Benton Park Road
Longbenton
NEWCASTLE UPON TYNE
NE98 1YX

Telephone : 0191 225 7661

Facsimile : 0191 225 3193

email :

Martin.McGill@dwp.gsi.gov.uk

Next Publication:

24 April 2003

NOTES TO EDITORS

Background to the Industrial Injuries Scheme

The Industrial Injuries Scheme provides non-contributory, no-fault benefits for disablement caused by accidents at work or one of the listed prescribed industrial diseases known to be a risk of occupation. The scheme covers employed earners as defined for National Insurance (NI) purposes.

To get IIDB a person needs to have suffered a disablement as a result of an industrial accident or prescribed disease. Normally a person's disablement has to be assessed at 14% or more to receive benefit, except for certain respiratory diseases which require a 1% assessment and occupational deafness which requires a 20% assessment. An assessment of less than 14% may become payable if it can be added to other assessment(s) to form an aggregate assessment of at least 14% in total.

A "prescribed disease" is an industrial disease prescribed by regulations to be included in the industrial injuries benefit scheme.

Information source

The source of the quarterly and annual data is the Department for Work and Pensions local disablement benefit offices, which provide data on IIDB claims and first diagnoses on prescribed disease assessments.

Claims figures prior to quarter 2, 2002 are based on 10% sample.

Data are collected on a monthly basis, for both claims and first diagnosed assessments.

The number of first diagnosed assessments, in the quarter, are not necessarily those made on the claims received over the same period. There will be a large number of assessments made on claims received in the previous quarter(s), and similarly a large number of claims received that will not be assessed until subsequent quarters. However, the data provides an indication of the relationship between the number of claims made and the number of successful assessments.

Most IIDB claims for prescribed diseases prove to be unsuccessful because either they fail the prescription conditions or claimants are not diagnosed on examination. There can be a considerable time between the claim for a prescribed disease and the final assessment due to the need to make employment enquiries before referring for medical advice.

This publication shows revised figures for the June 2002 quarter which was due to late notifications.

Further information

More detailed tables, relating to prescribed diseases, are available on request from the contact point below. Information on existing Industrial Injuries Disablement Benefit recipients is available on request.

To obtain copies contact:

Electronic copies and additional analyses - Sandra Cartner: 0191-225-3130

Paper copies: IAD Secretariat: 0207-962-8192

Industrial Injuries Disablement Benefit

Quarterly Summary of Statistics on New Claims (Accidents and Prescribed Diseases) and First Diagnoses (Prescribed Diseases Only)

Quarter ending September 2002

DWP Department for
Work and Pensions

Information Centre, Information and Analysis Directorate

Contents	Page
Section 1 - New Claims:	
Summary tables of new claims	2
Summary charts of new claims.....	3
Government Office Region	4
Section 2 – All Prescribed Diseases, first diagnosed assessments:	
Summary tables of first diagnosed assessments	5
Prescribed disease chart	6
Percentage assessment and sex	7
Disease and sex	8
Age and sex.....	9
Occupation and sex	10
Occupation and disease	11
Sampling error:	
For new claims tables	12
List of prescribed diseases	13
Conventions:	

	In order to maintain the anonymity of claimants, all 100% figures have been rounded to the nearest 5. Totals may not add due to rounding.
-	Nil or Negligible
*	Figures under 200 marked* are subject to a high degree of sampling error and should only be used as a guide to the correct situation.
.	Not applicable
Q1	1 st January to 31 st March
Q2	1 st April to 30 th June
Q3	1 st July to 30 th September
Q4	1 st October to 31 st December
GOR	Government Office Region
PD	Prescribed Disease

Table 1.1: New claims summary: September 2000 to September 2002
Thousands

Quarters	Total	Accidents	PDs	A8	A10	A11	A12	D1	D3	D9	D12	Others
Q3-00	22.1	6.6	15.5	0.3	1.1	8.8	0.8	1.3	0.2	0.2	1.9	1.2
Q4-00	17.6	6.5	11.1	0.3	1.1	4.9	0.7	1.2	0.3	0.2	1.5	1.1
Q1-01	18.0	7.1	11.0	0.3	1.0	4.3	0.8	1.4	0.2	0.2	1.6	1.2
Q2-01	17.0	7.3	9.7	0.3	1.0	3.8	0.8	1.4	0.3	0.3	1.2	1.1
Q3-01	14.8	6.0	8.8	0.2	0.9	3.4	0.5	1.2	0.3	0.4	1.0	1.3
Q4-01	15.2	5.7	9.5	0.3	1.0	3.3	0.6	1.7	0.3	0.6	1.0	1.4
Q1-02	16.4	5.9	10.5	0.3	0.9	3.6	0.8	2.3	0.3	0.4	1.2	0.8
Q2-02	15.9	5.5	10.4	0.2	0.8	3.6	0.9	2.1	0.3	0.6	1.1	0.9
Q3-02	16.4	5.7	10.8	0.2	0.9	3.6	0.8	2.3	0.3	0.5	1.2	1.1

Percentage

Quarters	Total	Accidents	PDs	A8	A10	A11	A12	D1	D3	D9	D12	Others
Q3-00	100	30	70	1	5	40	4	6	1	1	8	5
Q4-00	100	37	63	2	6	28	4	7	2	1	9	6
Q1-01	100	39	61	2	6	24	4	8	1	1	9	7
Q2-01	100	43	57	2	6	22	4	8	2	2	7	6
Q3-01	100	41	59	1	6	23	3	8	2	3	7	9
Q4-01	100	38	62	2	7	21	4	11	2	4	7	9
Q1-02	100	36	64	2	6	22	5	14	2	2	7	5
Q2-02	100	35	65	1	5	22	5	13	2	4	7	5
Q3-02	100	35	65	1	5	22	5	14	2	3	7	6

Thousands

Quarters	All Regions	North East	North West	Yorkshire & Humber	East Midlands	West Midlands	East of London	London	South East	South West	Wales	Scotland	Overseas
Q3-00	22.1	2.8	2.7	5.5	1.5	2.4	1.0	-	0.8	0.5	2.7	2.3	-
Q4-00	17.6	2.1	2.4	3.3	2.4	1.3	0.5	0.3	0.9	0.9	1.6	2.0	0.1*
Q1-01	18.0	1.9	2.4	3.1	2.7	1.5	0.4	0.3	1.0	1.0	1.9	1.7	-
Q2-01	17.0	1.9	2.4	2.8	2.1	1.4	0.5	0.3	1.0	0.9	1.5	2.3	-
Q3-01	14.8	1.5	2.1	2.4	2.0	1.1	0.4	0.3	1.0	0.8	1.4	1.8	0.1*
Q4-01	15.2	1.9	2.3	2.1	1.7	1.1	0.3	0.3	0.8	1.2	1.5	2.1	-
Q1-02	16.4	1.8	1.9	2.8	1.9	1.5	0.3	0.3	1.0	1.1	1.9	1.9	0.1*
Q2-02	15.9	1.9	1.9	2.5	1.1	1.8	0.7	0.2	1.0	0.6	1.8	2.4	-
Q3-02	16.4	2.1	2.1	2.5	1.8	1.0	0.4	0.3	1.0	1.0	1.9	2.2	0.1*

Percentage

Quarters	All Regions	North East	North West	Yorkshire & Humber	East Midlands	West Midlands	East of London	London	South East	South West	Wales	Scotland	Overseas
Q3-00	100	13	12	25	7	11	5	-	3	2	12	10	-
Q4-00	100	12	13	19	13	7	3	2	5	5	9	11	-
Q1-01	100	11	13	17	15	9	2	1	5	6	10	10	-
Q2-01	100	11	14	17	13	8	3	2	6	5	9	13	-
Q3-01	100	10	14	16	13	7	3	2	7	5	10	12	-
Q4-01	100	13	15	14	11	7	2	2	5	8	10	14	-
Q1-02	100	11	11	17	11	9	2	2	6	7	11	12	-
Q2-02	100	12	12	15	7	11	4	1	6	4	11	15	-
Q3-02	100	13	13	15	11	6	3	2	6	6	11	13	-

Based on 10% sample Q3-00 to Q1-02. Q2-02 to Q3-02 based on 100% data.
Q2-02 revised data.
PD Code

A8	Synovial inflammation	D1	Pneumoconiosis
A10	Occupational deafness	D3	Diffuse mesothelioma
A11	Vibration white finger	D9	Unilateral or bilateral diffuse pleural thickening
A12	Carpal tunnel syndrome	D12	Bronchitis and emphysema

Chart 1.2A: New claims





Chart 1.2B: New claims by prescribed disease



Based on 10% sample Q2-00 to Q1-02. Q2-02 to Q3-02 based on 100% data.

**Table 1.2: New claims notified in quarter 3, 2002
by cause, Government Office Region and population**


Thousands

	All causes	Accidents	Prescribed diseases	Claims per million of population aged 16+ (all causes)
All Regions	16.4	5.7	10.8	0.4
North East	2.1	0.4	1.6	1.0
North West	2.1	1.2	0.9	0.4
Yorkshire & Humber	2.5	0.5	2.0	0.6
East Midlands	1.8	0.4	1.4	0.5
West Midlands	1.0	0.4	0.6	0.2
East	0.4	0.3	0.1*	0.1
London	0.3	0.2*	0.1*	-
South East	1.0	0.7	0.4	0.2
South West	1.0	0.5	0.5	0.3
Wales	1.9	0.4	1.5	0.8
Scotland	2.2	0.5	1.7	0.5
Overseas	0.1*	-	-	-

Note: Population based on estimates from ONS for June 2001 and do not include overseas.

Based on 100% sample

Chart 1.2C: New claims per million of population aged 16 and over



**Table 2.1: All prescribed diseases, first diagnosed assessments summary:
September 2000 to September 2002**

Number

Quarters	Assessment			Sex		Aggregated		Age			
	Total	0%	1-13%	14%+	Male	Female	Yes	No	Under 25	25-59	60 and over
Q3-00	1,800	-	1,065	735	1,680	120	255	1,545	5	1,000	795
Q4-00	1,925	-	1,265	660	1,825	105	320	1,610	-	1,055	870
Q1-01	2,025	-	1,205	820	1,895	130	325	1,700	10	1,075	945
Q2-01	1,980	-	1,135	840	1,840	140	320	1,660	15	1,085	880
Q3-01	1,700	-	1,000	700	1,570	130	290	1,405	10	885	800
Q4-01	1,545	-	910	630	1,435	110	240	1,310	5	790	755
Q1-02	1,540	-	890	650	1,445	95	260	1,280	5	745	790
Q2-02	1,965	5	1,100	865	1,840	125	320	1,645	5	905	1,055
Q3-02	2,330	100	1,180	1,050	2,155	175	305	2,025	5	1,080	1,245

Percentage

Quarters	Assessment			Sex		Aggregated		Age			
	Total	0%	1-13%	14%+	Male	Female	Yes	No	Under 25	25-59	60 and over
Q3-00	100	-	59	41	93	7	14	86	-	56	44
Q4-00	100	-	66	34	95	5	17	84	-	55	45
Q1-01	100	-	60	40	94	6	16	84	-	53	47
Q2-01	100	-	57	42	93	7	16	84	-	55	44
Q3-01	100	-	59	41	92	8	17	83	-	52	47
Q4-01	100	-	59	41	93	7	16	85	-	51	49
Q1-02	100	-	58	42	94	6	17	83	-	48	51
Q2-02	100	-	56	44	94	6	16	84	-	46	54
Q3-02	100	4	51	45	92	8	13	87	-	46	53

Number

Quarters	Prescribed disease									Industry, SIC					
	A8	A10	A11	A12	D1	D3	D9	D12	Others	C	D	F	I	K	Others
Q3-00	85	45	785	120	235	185	65	120	160	985	375	205	35	60	140
Q4-00	60	40	950	145	225	160	70	120	155	1,180	340	205	40	45	115
Q1-01	85	70	860	170	285	190	85	115	170	1,100	450	250	30	55	145
Q2-01	85	85	830	150	260	190	70	135	165	1,070	420	245	45	50	150
Q3-01	85	55	680	140	220	195	70	105	150	860	400	235	35	50	120
Q4-01	60	50	615	160	205	175	65	95	115	810	315	215	40	40	130
Q1-02	60	55	555	150	260	155	75	90	135	775	370	190	50	30	125
Q2-02	70	75	610	210	425	195	95	125	160	965	520	210	70	15	180
Q3-02	75	80	645	275	470	375	95	140	180	1,025	655	285	75	35	250

Percentage

Quarters	Prescribed disease									Industry, SIC					
	A8	A10	A11	A12	D1	D3	D9	D12	Others	C	D	F	I	K	Others
Q3-00	5	3	44	7	13	10	4	7	9	55	21	11	2	3	8
Q4-00	3	2	49	8	12	8	4	6	8	61	18	11	2	2	6
Q1-01	4	3	42	8	14	9	4	6	8	54	22	12	1	3	7
Q2-01	4	4	42	8	13	10	4	7	8	54	21	12	2	3	8
Q3-01	5	3	40	8	13	11	4	6	9	51	24	14	2	3	7
Q4-01	4	3	40	10	13	11	4	6	7	52	20	14	3	3	8
Q1-02	4	4	36	10	17	10	5	6	9	50	24	12	3	2	8
Q2-02	4	4	31	11	22	10	5	6	8	49	26	11	4	1	9
Q3-02	3	3	28	12	20	16	4	6	8	44	28	12	3	2	11

Based on 100% count

Q2-02 revised data.


PD Code

A8	Synovial inflammation
A10	Occupational deafness
A11	Vibration white finger
A12	Carpal tunnel syndrome
D1	Pneumoconiosis
D3	Diffuse mesothelioma
D9	Unilateral or bilateral diffuse pleural thickening
D12	Chronic bronchitis and/or emphysema

SIC Code

C	Mining and quarrying
D	Manufacturing
F	Construction
I	Transport, storage and communication
K	Real estate, renting and business activities

Chart 2A: All prescribed diseases, first diagnosed assessments by disease: quarter 3, 2002



PD Code

- A8 Synovial inflammation
- A10 Occupational deafness
- A11 Vibration white finger
- A12 Carpal tunnel syndrome
- D1 Pneumoconiosis
- D3 Diffuse mesothelioma
- D9 Unilateral or bilateral diffuse pleural thickening
- D12 Chronic bronchitis and/or emphysema

**Table 2.2: All prescribed diseases, first diagnosed assessments in quarter 3, 2002
by percentage assessment and sex**

	<i>Number</i>								
	<u>All assessments</u>			<u>Non aggregated assessments</u>			<u>Aggregated assessments</u> ¹		
	Males & females	Males	Females	Males & females	Males	Females	Males & females	Males	Females
All assessments	2,330	2,155	175	2,025	1,860	165	305	295	10
0%	100	90	10	100	90	10	-	-	-
1 - 13%	1,180	1,090	90	1,035	950	85	145	140	5
14 - 19%	190	155	35	170	140	35	15	15	-
20 - 24%	135	125	5	100	100	5	30	30	-
25 - 34%	155	140	10	110	100	10	45	45	-
35 - 44%	65	65	-	45	45	-	20	20	-
45 - 54%	40	40	-	30	30	-	10	10	-
55 - 64%	35	35	-	25	25	-	10	10	-
65 - 74%	15	15	-	10	10	-	-	-	-
75 - 84%	15	15	-	10	10	-	5	5	-
85 - 94%	-	-	-	-	-	-	-	-	-
95 - 100%	390	365	20	375	350	20	15	15	-
Not known	15	15	-	15	15	-	-	-	-

1. Percentage before aggregation

Based on 100% count

**Table 2.3: All prescribed diseases, first diagnosed assessments in quarter 3, 2002
by disease number and sex**

		<i>Number</i>		
		Males & females	Males	Females
All prescribed diseases		2,330	2,155	175
A2	Heat cataract	-	-	-
A4	Cramp of the hand or forearm	20	-	20
A6	Beat knee	10	10	-
A7	Beat Elbow	5	5	-
A8	Synovial inflammation	75	15	60
A9	Miners nystagmus	-	-	-
A10	Occupational deafness	80	80	-
A11	Vibration white finger	645	640	5
A12	Carpal tunnel syndrome	275	245	30
B6	Farmers lung	-	-	-
B10A	Avarian chlamydiosis	-	-	-
C3	Poisoning by phosphorus	-	-	-
C5	Poisoning by mercury or compound of mercury	-	-	-
C7	Poisoning by benzene	-	-	-
C23	Papilloma of the bladder	5	5	-
D1	Pneumoconiosis	470	465	5
D2	Byssinosis	-	-	-
D3	Diffuse mesothelioma	375	350	25
D4	Allergic Rhinitis	25	20	-
D5	Dermatitis	55	40	15
D6	Nasal adeno carcinoma	-	-	-
D7	Occupational asthma	30	20	10
D8	Primary carcinoma of the lung with accompanying evidence of one or both (A) Asbestosis (B) Unilateral or bilateral diffuse pleural thickening	15	15	-
D9	Unilateral or bilateral diffuse pleural thickening	95	90	5
D12	Chronic bronchitis and/or emphysema	140	140	-

Based on 100% count

**Table 2.4: All prescribed diseases, first diagnosed assessments in quarter 3, 2002
by sex and age**

	<i>Number</i>		
	Males & females	Males	Females
All ages	2,330	2,155	175
Under 25	5	-	-
25 - 29	10	5	5
30 - 34	35	15	15
35 - 39	90	80	10
40 - 44	190	170	25
45 - 49	195	175	20
50 - 54	250	225	25
55 - 59	305	275	35
60 - 64	310	300	10
65 - 69	325	315	10
70 - 74	260	255	5
75 and over	350	345	10

Based on 100% count

**Table 2.5: All prescribed diseases, first diagnosed assessments in quarter 3, 2002
by occupation and sex**

		<i>Number</i>	
	Males & females	Males	Females
All occupations	2,330	2,155	175
11 Corporate managers	10	10	-
12 Managers and proprietors in agriculture and services	10	5	5
21 Science and technology professionals	75	70	-
22 Health professionals	-	-	-
23 Teaching and research professionals	5	5	-
24 Business and public service professionals	5	5	-
31 Science and technology associate professionals	55	55	-
32 Health and social welfare associate professionals	10	-	10
33 Protective service occupations	15	15	-
34 Culture, media and sports occupations	-	-	-
35 Business and public service associate professionals	10	10	-
41 Administrative occupations	30	5	20
42 Secretarial and related occupations	15	-	15
51 Skilled agricultural trades	20	20	-
52 Skilled metal and electrical trades	380	370	10
53 Skilled construction and building trades	225	225	-
54 Textiles, printing and other skilled trades	40	25	15
61 Caring personal service occupations	5	-	5
62 Leisure and other personal services occupations	5	-	5
71 Sales occupations	10	5	5
72 Customer service occupations	-	-	-
81 Process, plant and machine operatives	1,200	1,165	35
82 Transport and mobile machine drivers and operatives	25	25	-
91 Elementary trades, plant and storage related occupations	140	135	5
92 Elementary administration and service occupations	40	10	30

Based on 100% count

**Table 2.6: All prescribed diseases, first diagnosed assessments in quarter 3, 2002
by occupation and disease**

		<i>Number</i>							
		All diseases	A11	A12	D1	D3	D9	D12	Others
All occupations		2,330	645	275	470	375	95	140	335
11	Corporate managers	10	-	-	5	5	-	-	-
12	Managers and proprietors in agriculture and services	10	-	-	-	5	-	-	5
21	Science and technology professionals	75	15	5	15	20	10	-	10
22	Health professionals	-	-	-	-	-	-	-	-
23	Teaching and research professionals	5	-	-	-	-	-	-	-
24	Business and public service professionals	5	-	-	-	-	-	-	5
31	Science and technology associate professionals	55	10	5	10	20	5	-	10
32	Health and social welfare associate professionals	10	-	-	-	-	-	-	5
33	Protective service occupations	15	-	-	5	5	-	-	-
34	Culture, media and sports occupations	-	-	-	-	-	-	-	-
35	Business and public service associate professionals	10	-	-	-	5	-	-	-
41	Administrative occupations	30	-	-	-	5	-	-	20
42	Secretarial and related occupations	15	-	-	-	-	-	-	10
51	Skilled agricultural trades	20	5	-	5	5	-	-	5
52	Skilled metal and electrical trades	380	95	45	50	105	20	-	65
53	Skilled construction and building trades	225	20	15	45	105	25	-	15
54	Textiles,printing and other skilled trades	40	5	5	5	5	-	-	20
61	Caring personal service occupations	5	-	-	-	-	-	-	5
62	Leisure and other personal services occupations	5	-	-	-	-	-	-	5
71	Sales occupations	10	-	-	-	-	-	-	5
72	Customer service occupations	-	-	-	-	-	-	-	-
81	Process, plant and machine operatives	1,200	465	150	295	40	15	140	100
82	Transport and mobile machine drivers and operatives	25	-	5	5	5	5	-	5
91	Elementary trades, plant and storage related occupations	140	25	15	25	35	10	-	25
92	Elementary administration and service occupations	40	-	20	-	5	5	-	10

Based on 100% count

Sampling and confidence intervals (new claims tables only).

Because the data in the new claims tables are derived from a 10% sample, the numbers which appear in the tables are only **estimates** of the true, unknown values. Although the figures are estimates, we can nevertheless say with confidence that the **true** value, corresponding to any particular number in the tables, probably lies within a certain range. Such a range is called a **confidence interval**. If we want to be very confident, say 95% confident, that the true value lies within a range, then that range will necessarily be wider than if we only need to be, say, 90% confident of the true value.

The figures below give the 95% confidence intervals for the true value in the population, based on the estimated value from the 10% sample.

Estimated value in table [thousands]	95% confidence interval [number]
0	0 - 28
0.1	50 - 180
0.2	126 - 303
0.3	207 - 422
0.4	282 - 518
0.5	369 - 632
0.6	456 - 744
0.7	544 - 856
0.8	634 - 966
0.9	724 - 1,076
1.0	814 - 1,186
2.0	1,737 - 2,263
3.0	2,678 - 3,322
4.0	3,628 - 4,372
5.0	4,584 - 5,416
6.0	5,545 - 6,456
7.0	6,508 - 7,491
8.0	7,474 - 8,526
9.0	8,442 - 9,558
10.0	9,412 - 10,588
15.0	14,280 - 15,720
20.0	19,168 - 20,832

Thus, for example, if a figure of 1.0 (thousand) appears in a table, then, given that this is derived from a 10% sample, we can say that there is a 95% chance that the true value lies between 814 and 1,186.

List of Prescribed Diseases

PD number	Brief description	PD number	Brief description
A1	Radiation sickness		Poisoning by cont..
A2	Heat cataract	C11	Diethylene dioxide
A3	Decompression sickness	C12	Methyl bromide
A4	Cramp of the hand or forearm	C13	Chlorinated naphthalene
A5	Beat hand	C14	Nickel carbonyl
A6	Beat knee	C15	Oxides of nitrogen
A7	Beat elbow	C16	Gonioma kamassi (African Boxwood)
A8	Synovial inflammation	C17	Beryllium or compound of beryllium
A9	Miners nystagmus	C18	Cadmium
A10	Occupational deafness	C19	Acrylamide monomer
A11	Vibration white finger		
A12	Carpal tunnel syndrome	C20	Dystrophy of the cornea of the eye
		C21A	Localised new growth of the skin
B1	Anthrax	C21B	Squamus-celled carcinoma of the skin
B2	Glanders	C22A	Carcinoma of the mucous membranes of the nose or associated air passages
B3	Leptospira	C22B	Primary carcinoma of a bronchus or lung
B4	Ankylostomiasis	C23	Primary neoplasm (Papilloma/carcinoma of the urinary tract)
B5	Tuberculosis	C24A	Angiosarcoma of the liver
B6	Farmers lung	C24B	Osteolysis of the terminal phalanges of the fingers
B7	Brucellosis	C24C	Non cirrhotic portal fibrosis
B8	Viral hepatitis	C25	Occupational vitiligo
B9	Streptococcus suis	C26	Damage to liver or kidneys due to exposure to carbon tetrachloride
B10A	Avian chlamydiosis	C27	Damage to liver or kidneys due to exposure to trichloromethane
B10B	Ovine chlamydiosis	C28	Central nervous system dysfunction and associated gastro intestinal disorders due to exposure to chloromethane
B11	Q Fever	C29	Peripheral neuropathy due to exposure to N-Hexane or methyl N-Butyl ketone
B12	ORF	C30	Chrome Dermatitis
B13	Hydatidosis		
		D1	Pneumoconiosis
	Poisoning by:-	D2	Byssinosis
C1	Lead or compound of lead	D3	Diffuse mesothelioma
C2	Manganese	D4	Allergic Rhinitis
C3	Phosphorus	D5	Dermatitis
C4	Arsenic	D6	Nasal adeno carcinoma
C5	Mercury	D7	Occupational asthma
C6	Carbon bisulphide	D8	Primary carcinoma of the lung with accompanying evidence of one or both (A) Asbestosis (B) Unilateral or bilateral diffuse pleural thickening
C7	Benzene etc	D9	Unilateral or bilateral diffuse pleural thickening
C8	Nitro or amino acid	D10	Primary carcinoma of the lung
C9	Dinitrophenol	D11	Primary carcinoma of the lung with accompanying silicosis
C10	Tetrachloroethane	D12	Chronic bronchitis and/or emphysema